

Rhodora

JOURNAL OF THE
NEW ENGLAND BOTANICAL CLUB

Conducted and published for the Club, by
ALFRED LINN BOGLE, Editor-in-Chief

ROLLA MILTON TRYON
STEPHEN ALAN SPONGBERG
GERALD JOSEPH GASTONY
RICHARD EDWIN WEAVER


} Associate Editors

VOLUME 76

1974

The New England Botanical Club, Inc.

Botanical Museum, Oxford St., Cambridge, Mass. 02138



INDEX TO VOLUME 76

Entries include: authors; title words such as geographic area; and new records, systematic revisions, or ecological studies by taxa. Lists or tables of taxa and maps are also classified separately under "Lists" and "Maps". Note that only one page number per article is given for each taxon entered. New scientific names and combinations are printed in bold face type.

- Adoxa moschatellina* 43
 Alabama, *Sarracenia alabamensis*,
 A Newly Recognized Species
 From Central 650-665
 Algal Ecology, The Role Of Some
 Haloragaceae In 446-459
Alternanthera brasiliensis 476
Anaphalis margaritacea 44
 Andrus, Richard E., Significant
 New Distributional Records For
 The Genus *Sphagnum* In The
 Northeastern United States 511-
 518
Antirrhinum orontium 467
 Arkansas, *Lindera melissaefolium*
 In 525
Ascophyllum mackaii 408; nodo-
 sum 59-63
 Asiatic Species Of *Desmodium*: A
 Review 142-144
Asparagopsis hamifera 410
Asperococcus echinatus 407
 Authority For *Cardamine clematis*
 (*Cruciferae*), The Correct
 53-57
 Averett, John E., Typification of
 Chamaesaracha coronopus 311
 Bahama Flora, Name Changes
 For The Seed Plants In The
 67-138
 Bahama Flora, Range Extensions
 And New Records For The 471-
 477
 Bald Cypress (*Taxodium distichum* (L.) Richard) In Suffolk
 County, Long Island, New
 York, The Occurrence Of 25-26
 Baldwin, Henry I., The Flora of
 Mount Monadnock, New Hamp-
 shire 205-228
 Barkley, T. M. and Arthur Cron-
 quist, *Cacalia rugelia*: A New
 Combination For A North
 American *Senecionoid* 48-50
Bauhinia variegata 476
Bidens beckii 44
 Biosystematic Revision Of *Lupinus*
 lyallii 422-445
 Black Spruce, Environmental Con-
 trol Of Needle Characteristics
 In Subalpine 519-524
 Blanchard, Orland J., Chromosome
 Numbers In *Kosteletzkya Presl*
 (*Malvaceae*) 64-66
 Bogle, A. Linn (see Lane, David
 M.)
 Bollard, Peter M. (see Hehre,
 Edward J.)
 Bryophytes of Southern Manitoba,
 Studies On The III. Collections
 From Grand Beach Provincial
 Park 27-38, list 29-34
Cacalia rugelia: A New Combina-
 tion For A North American
 Senecionoid 48-50
Calamagrostis lapponica 40

- Caltha natans* 42
Campanula rotundifolia var. *velutina* 468
 Cape Cod, Massachusetts, Investigations Of New England Marine Algae VI: Distribution Of Marine Algae Near 537-563
Capsosiphon fulvescens 401
Cardamine clematis (Cruciferae), The Correct Authority For 53-57
Carex adusta 40; *exilis*, *Geocaulon lividum* And Other Plants Of Interest In Pittsburg, New Hampshire 307-309; *rufina* 41
Carya pallida 462
 Case, Frederick W. and Roberta B. Case, *Sarracenia alabamensis*, A Newly Recognized Species From Central Alabama 650-665
 Case, Roberta B. (see Case, Frederick W.)
 Catling, Paul M. and James E. Cruise, *Spiranthes casei*, A New Species From Northeastern North America 526-536
 Central Plains States, New and Interesting Plants From The 489-490
 Chabot, Brian F., Environmental Control Of Needle Characteristics In Subalpine Black Spruce 519-524
Chamaesaracha coronopus, Typification Of 311
Chenopodium 462; *bushianum* 463; *pallescens* 463; *strictum* var. *glaucophyllum* 463-464
 Chromosome Numbers In *Kosteletzkya* Presl. (Malvaceae) 64-66
Cladophora laetevirens 403
 Coleman, Douglas C. and Arthur C. Mathieson, Investigations Of New England Marine Algae VI: Distribution of Marine Algae Near Cape Cod, Massachusetts 537-563
 Color-Forms From Southern Maine, Two New 470
 Colt, L. C., Jr. and C. Barre Hellquist, The Role Of Some Haloragaceae In Algal Ecology 446-459
 Combination For North American Senecionoid, *Cacalia rugelii*: A New 48-50
 Conrad, Melvin L., *Panicum ensifolium* Baldw. — New For Mexico 509-510
Corallorhiza wisteriana 489
 Cox, B. J., A Biosystematic Revision Of *Lupinus lyallii* 422-445
Crataegus marshallii 465
Crinum asiaticum 476
 Cronquist, Arthur (see T. M. Barkley)
 Crotalaris Of North America (Leguminosae), A Systematic Treatment Of The Native Unifoliate 151-204; *Crotalaria brevipedunculata* 164-166, fig. 3, map 166; *bupleurifolia* 194-198, map 197; var. *bupleurifolia* 198, fig. 11; var. *robusta* 198, fig. 12, map 197; *mexicana* 184-186, fig. 9, map 166; *nayaritensis* 198-200, fig. 13, map 197; *nitens* 161-164, map 159; var. *nitens* 164, fig. 2; var. *gracilis* 164, fig. 2, map 159; *pilosa* 157-161, fig. 1; map 159; *polypHYLLA* 166-169, fig. 4, map 166; *purshii* 177-181, fig. 7, map 179; *quercetorum* 181-184, fig. 8, map 166; *rotundifolia* 186-194; \times *purshii* 202; var. *rotundifolia* 189-193, fig. 10, map 191; var. *vulgaris* 193-194, fig. 10,

- map 192; *sagittalis* 172-177, fig. 6, map 174; \times *quercetorum* 202; \times *rotundifolia* var. *vulgaris* 202; \times *stipularia* 202; *stipularia* 169-172, fig. 5, map 159
- Cruise, James E. (see Catling, Paul M.)
- Cucurbita pepo* var. *ovifera* 468
- Datura innoxia* 476
- Desmodium*: A Review, The Asiatic Species Of 142-144
- Digitaria sanguinalis*, A New Form; f. *illinoensis* 57-58
- Distributional Records For The Genus *Sphagnum* In The Northeastern United States, Significant New 511-518
- Draba reptans* var. *micrantha* 464; *verna* var. *boerhaavii* 464
- Drosera* From Venezuela, A New; *felix* 491-493, fig. 1
- Dudley, T. R., The Correct Authority For *Cardamine clematis* (Cruciferae) 53-57
- Ebinger, John E., A New Form Of *Digitaria sanguinalis* 57-58; A Systematic Study Of The Genus *Kalmia* (Ericaceae) 315-398
- Enteromorpha ahlneriana* 401; *grogenlandica* 402
- Environmental Control Of Needle Characteristics In Sub-alpine Black Spruce 519-524
- Eryngium prostratum* var. *prostratum* 490
- Euphrasia arctica* var. *dolosa* 43
- Evans, Dan K. (see Mohlenbrock, Robert H.)
- Fissidens adianthoides* 32
- Flora Of Mount Monadnock, New Hampshire, The 205-223, list 211-221
- Florida, A New Species Of *Lechea* (Cistaceae) From Peninsular 478-483
- Fogg, John M., Jr., Stone's Plants Of Southern New Jersey 139-141
- Form Of *Digitaria sanguinalis*, A New 57-58
- Fucus vesiculosus* 59-63
- Fuirena scirpoidea* 460
- Geocaulon lividum* And Other Plants Of Interest In Pittsburg, New Hampshire, *Carex exilis* 307-309
- Gillis, William T., Name Changes For The Seed Plants In The Bahama Flora 67-138
- Grindelia lanceolata* f. *latifolia* 469
- Growth Of Some New England Perennial Seaweeds 59-63
- Habenaria orbiculata* 41
- Haloragaceae In Algal Ecology, The Role Of Some 446-459
- Harman, Willard N., Phenology and Physiognomy Of The Hydrophyte Community In Otsego Lake, N.Y. 497-508
- Harms, Vernon L. and John H. Hudson, Some New Or Noteworthy Vascular Plant Records From Northwestern Saskatchewan 39-44
- Harriman, Neil A., *Pimpinella saxifraga* L. (Umbelliferae) In Wisconsin 483
- Haynes, Robert R., A Revision Of North American *Potamogeton* Subsection *Pusilli* (Potamogetonaceae) 564-649

- Hehre, Edward J. and Peter M. Bollard, The Occurrence Of Bald Cypress (*Taxodium distichum* (L.) Richard) In Suffolk County, Long Island, New York 25-26
- Hellquist, C. Barre, A White-Flowered Form Of *Utricularia purpurea* In New Hampshire 19; (see Colt, L. C., Jr.)
- Hepper, F. N., Parasitic Witchweed: *Striga asiatica* Versus *S. lutea* (Scrophulariaceae) 45-47
- Hill, Steven R., Range Extensions And New Records For The Bahama Flora 471-477
- Hodgdon, A. R., *Carex exilis*, *Geocaulon lividum* And Other Plants Of Interest In Pittsburg, New Hampshire 307-309
- Holosteum umbellatum* 489
- Hudson, John H. (see Harms, Vernon L.)
- Hydrophyte Community In Otsego Lake, N.Y., Phenology And Physiognomy Of The 497-508
- Illinois Field and Herbarium Studies 460-470
- Jacquemontia tamnifolia* 466
- Kalmia* (Ericaceae), A Systematic Study Of The Genus 315-398; *angustifolia* 367-381; var. *angustifolia* 368-378; *f. candida* 377-378; var. *caroliniana* 378-381; *cuneata* 381-383; *ericoides* 386-390; var. *ericoides* 388-389; var. *aggregata* 389-390; *hirsuta* 383-386; *latifolia* 352-366; *f. angustata* 363; *f. fuscata* 363-364; *f. myrtifolia* 364; *f. obtusata* 365; *f. poly-petala* 365-366; *microphylla* 333-342; var. *microphylla* 334-340; var. *occidentalis* 340-342; *f. alba* 342; *polifolia* 343-351; *f. leucantha* 351
- Kitfield, Aminta, Range Extension Of *Woodwardia areolata* 312
- Kosteletzkya presl* (Malvaceae), Chromosome Numbers In 64-66, table 66
- Lactuca saligna f. ruppiana* 490
- Lagenaria siceraria* 468
- Laminaria digitata*, 59-63; *saccharina* 59-63
- Lane, David M. and A. Linn Bogle, A Second Report Of The *Prothallia* Of *Lycopodium inundatum* In North America 484-488
- Lechea* (Cistaceae) From Peninsular Florida, A New Species Of; *lakelae* 478-483
- Lindera melissaeifolia* In Arkansas 525
- Lists (Tables): Bryophytes From Grand Beach Provincial Park 29-34; Chromosome Counts In *Kosteletzkya* 66; Chromosome Numbers In Perityle Section Perityle 236; Distribution Of Marine Algae Near Cape Cod 553-558; Flora Of Mount Monadnock 211-221; Marine Algae Of Rhode Island 400-416; Name Changes In The Bahama Flora 70-124; Range Extensions And New Records For The Bahama Flora 473-477
- Lithophyllum lenormandi* 411
- Lobelia dortmanna* 43
- Longleaf Pine, On The Scientific Name Of 20-24
- Lophocolea heterophylla* 29

- Löve, Askell, A Magnificent Swiss Flora Manual: A Review
- Lupinus lyallii, A Biosystematic Revision Of 422-445, map 444; subsp. lyallii 426-435; var. lyallii 426-429; var. danaus 429-431; var. fruticulosus 431-432; var. macroflorus 432-433; var. roguensis 433-435; var. villosus 435-436; subsp. alciatemporis 436-438; subsp. minutifolius 438-439; subsp. subpandens 439-442; subsp. washoensis 442-443
- Lycopodium inundatum In North America, A Second Report Of The Prothallia Of 484-488, fig. 3, 4, map 488
- Magrath, Lawrence K. and Ronald R. Weedon, New And Interesting Plants From The Central Plains States 489-490
- Maine, Two New Color-Forms From Southern 470
- Malpigia glabra 476
- Manitoba, Studies On The Bryophytes Of Southern III. Collections From Grand Beach Provincial Park 27-38
- Maps: Crotalaria spp. 159, 166, 174, 179, 191, 192, 197; Lupinus lyallii 444; Lycopodium inundatum In New England 488; Marine Algae Stations On Cape Cod 539; Perityle Section Perityle spp. 251, 257, 267, 281, 285, 300; Potamogeton Section Pusilli spp. 596, 602, 606, 611, 617, 623, 625, 630, 635, 639, 641; Sphagnum spp. In Northeastern United States 512; Spiranthes casei 534; Xanthisma texanum 3, 5
- Marine Algae Near Cape Cod, Massachusetts, Distribution Of, Investigations Of New England Marine Algae VI: 537-563, list 553-558
- Marine Algae Of Rhode Island 399-421, list 400-416
- Matelea decipiens 467
- Mathieson, Arthur C. (see Coleman, Douglas C.)
- Mentzelia decapetala 465-466
- Mexico, Panicum ensifolium Balw. — New For 509-510
- Mohlenbrock, Robert H. and Dan K. Evans, Illinois Field And Herbarium Studies 460-470
- Monostroma leptodermum 402
- Mount Monadnock, New Hampshire, The Flora Of 205-228
- Myriophyllum alterniflorum 43
- Name Changes For The Seed Plants In The Bahama Flora 67-138, list 70-124
- New And Interesting Plants From The Central Plains States 489-490
- New England Perennial Seaweeds, The Growth Of Some 59-63
- New Hampshire, A White-Flowered Form Of Utricularia purpurea From 19
- New Hampshire, Carex exilis, Geocaulon lividum And Other Plants Of Interest In Pittsburg 307-309
- New Hampshire, New Station For Nuphar microphyllum In Durham 310
- New Hampshire, The Flora Of Mount Monadnock 205-228
- New Jersey: A Reprint, Stone's Plants Of 139-141

- New York, The Occurrence Of
Bald Cypress (*Taxodium distichum* (L.) Richard) In Suffolk County, Long Island 25-26
- Newly Recognized Species From
Central Alabama, *Sarracenia alabamensis*, A 650-665
- North America, A Second Report
Of The *Prothallia* Of *Lycopodium inundatum* In 484-488
- North America (*Leguminosae*), A
Systematic Treatment Of The
Native Unifoliolate *Crotalaria*s
Of 151-204
- North American *Potamogeton*
Subsection *Pusilli*, A Revision
Of 564-649
- Northeastern North America,
Spiranthes casei, A New Species
From 526-536
- Northeastern United States,
Significant New Distributional
Records For The Genus *Sphagnum*
In The 511-518
- Nuphar microphyllum* In Dur-
ham, New Hampshire, New
Station For 310
- Opuntia rubescens* 476
- Otsego Lake, N.Y., Phenology
And Physiognomy Of The
Hydrophyte Community In 497-
508
- Panicum ensifolium* Baldw. —
New For Mexico 509-510
- Penstemon cobaea* 467-468
- Percursaria percursa* 402
- Perityle Section *Perityle* (Com-
positae-*Peritylinae*), Taxonomy
Of 229-309, table 236; *aglossa*
289-291, map 285; *aurea* 262-
264, map 251; *californica* 298-
302, map 300; *canescens* 275-
276; *ciliata* 276-277, map 267;
cordifolia 291-292, map 285;
coronopifolia 277-279, map 267;
crassifolia 248-253; var. *crassi-*
folia 248-250, map 251; var.
robusta 250-253, map 251; *cune-*
ata 302-305; var. *cuneata* 302-
305, map 300; var. *marginata*
304-305, map 300; *emoryi* 255-
262, map 257; *feddemae* 283-
284, map 281; *hofmeisteria* 279-
280, map 267; *incana* 264-266;
jalscana 280-282, map 281;
leptoglossa 292-294, map 285;
lineariloba 268-269, map 267;
lloydii 294-295, map 285; *lobata*
295-296, map 285; *microcephala*
269-270, map 267; *microglossa*
270-275; var. *microglossa* 270-
273, map 267; var. *saxosa* 273-
275, map 267; *palmeri* 296-298,
map 285; *parryi* 284-288, map
285; *rosei* 282-283, map 281;
socorrensis 253-255; *trichodonta*
283, map 281; *turneri* 266-268,
map 267; *vaseyi* 288-289, map
285
- Phenology And Physiognomy Of
The Hydrophyte Community In
Otsego Lake, N.Y. 497-508
- Phleum pratense* f. *viviparum*
460
- Physalis macrophysa* 467
- Phytogeography And Systematics
Of *Xanthisma texanum* DC.
(*Asteraceae*): Proper Usage Of
Interspecific Categories 1-19
- Picea mariana* 519-524
- Pimpinella saxifraga* L. (*Umbelli-*
ferae) In Wisconsin 483
- Pinus palustris* 20-24
- Poa bulbosa* 460
- Polygonum ramosissimum* f. *alba*
470
- Polypremum procumbens* 466
- Populus* × *smithii* 461-462

- Porphyra miniata* 409
- Potamogeton Subsection Pusilli (Potamogetonaceae), A Revision Of North American 564-649; *clystocarpus* 624-626, map 625; *foliosus* 612-624; var. *foliosus* 614-620, map 617; var. *fibrillosus* 620-624, map 623; *friesii* 594-598, fig. 1, map 596; *groenlandicus* 640-642, map 641; *hillii* 607-612, map 611; *obtusifolius* 604-607, map 606; *pusillus* 626-640, fig. 1; var. *pusillus* 629-633, map 630; var. *gemmiparus* 638-640, map 639; var. *tenuissimus* 633-637, map 635; \times *perfoliatus* 638; *strictifolius* 598-603, map 602; \times *zosteriformis* 604
- Powell, A. Michael, Taxonomy Of Perityle Section Perityle (Compositae-Peritylinae) 229-306
- Prothallia Of Lycopodium inundatum In North America, A Second Report Of The 484-488
- Pyrus pyrifolia* 464-465
- Quercus velutina* f. *missouriensis* 462
- Range Extension Of Woodwardia areolata 312
- Range Extensions And New Records For The Bahama Flora 471-477, list 473-477
- Ranunculus hyperboreus* 42; *testiculatus* 490
- Records From Northwestern Saskatchewan, Some New Or Noteworthy Vascular Plant 39-44
- Reviews: Asiatic Species Of Desmodium 142-144; Stone's Plants Of Southern New Jersey 139-141; Swiss Flora Manual 145-149
- Revision Of North American Potamogeton Subsection Pusilli (Potamogetonaceae) 564-649
- Reynolds, Norman B., The Growth Of Some New England Perennial Seaweeds 59-63
- Rhizoclonium tortuosum* 404
- Rhode Island, Marine Algae Of 399-421
- Rhodymenia palmata* 59-63
- Salix* \times *myricoides* 461
- Sargassum natans* 409
- Sarracenia alabamensis*, A Newly Recognized Species From Central Alabama 650-665
- Saskatchewan, Some New Or Noteworthy Vascular Plant Records From Northwestern 39-44
- Schubert, Bernice G., The Asiatic Species Of Desmodium: A Review 142-144
- Scirpus americanus* 51-52; *olneyi* 51-52; *pungens* 51-52
- Scleranthus annuus* 489
- Seed Plants In The Bahama Flora, Name Changes For The 67-138
- Sample, John C., The Phytogeography And Systematics Of *Xanthisma texanum* DC. (Asteraceae) 1-19
- Senecio jacobaea* 469
- Sherardia arvensis* 468
- Smith, L. B. (see Steyermark, J. A.)
- Sparganium chlorocarpum* 39
- Spergula arvensis* 42; *media* 464
- Sphagnum In The Northeastern United States, Significant New Distributional Records For The Genus 511-518, map 512; *henryense* 511-513; *jensenii* 516; *portoricense* 513-514; *pulchrum*

- 515-516; riparium 515; strictum 514; subfulvum 516-517; tenellum 516; torreyanum 514
- Spiraea latifolia* f. *rosea* 470
- Spiranthes casei*, A New Species From Northeastern North America 526-536, fig. 1, 2, map 534; *gracilis* 41-42
- Spongomorpha lanosa* 404; *spinescens* 404
- Steyermarck, J. A. and L. B. Smith, A New *Drosera* From Venezuela 491-493
- Stone's Plants Of Southern New Jersey: A Reprint 139-141
- Striga asiatica* Versus *S. lutea* (*Scrophulariaceae*), Parasitic Witchweed 45-47
- Stringer, Muriel H. L. (see Stringer, Paul W.)
- Stringer, Paul W. and Muriel H. L. Stringer, Studies On The Bryophytes Of Southern Manitoba III. Collections From Grand Beach Provincial Park 27-38
- Suaeda depressa* 464
- Swiss Flora Manual, A Review, A Magnificent 145-149
- Systematics Of *Xanthisma texanum* DC. (*Asteraceae*): Proper Usage Of Intraspecific Categories, The Phytogeography And 1-19
- Systematic Study Of The Genus *Kalmia* (*Ericaceae*), A 315-398
- Taxodium distichum* 25-26
- Taxonomy Of Perityle Section Perityle (*Compositae*-*Peritylinae*) 229-306
- Thelesperma gracile* 469
- Thlaspi perfoliatum* 490
- Trailliella intricata* 415
- Triadenum virginicum* 465
- Tucker, G. E., *Lindera melissae-folium* In Arkansas 525
- Typification And Application Of The Names *Scirpus americanus* Pers., *S. olneyi* Gray, And *S. pungens* Vahl 51-52
- Typification Of *Chamaesaracha coronopus* 311
- Utricularia purpurea* From New Hampshire, A White-Flowered Form Of; f. *alba* 19
- Venezuela, A New *Drosera* From 491-493
- Villalard-Bohnsack, Martine (see Wood, R. D.)
- Vinca major* 466
- Ward, Daniel B., On The Scientific Name Of The Longleaf Pine 20-24
- Weedon, Ronald R. (see Magrath, Lawrence K.)
- Wells, Theodore W., Two New Color-Forms From Southern Maine 470
- Wicks, Johnnet C., New Station For *Nuphar microphyllum* In Durham, New Hampshire 310
- Wilbur, Robert L., A New Species Of *Lechea* (*Cistaceae*) From Peninsular Florida 478-483
- Windler, Donald R., A Systematic Treatment Of The Native Unifoliate *Crotalaria*s Of North America (*Leguminosae*) 151-204
- Wisconsin, *Pimpinella saxifraga* L. (*Umbelliferae*) In 483
- Witchweed: *Striga asiatica* Versus *S. lutea* (*Scrophulariaceae*) Parasitic 45-47

- Wood, R. D. and Martine Villard-Bohnsack, Marine Algae Of Rhode Island 399-421
- Woodwardia areolata, Range Extension Of 312
- Xanthisma texanum DC. (Asteraceae): Proper Usage Of Infra-specific Categories, The Phyto-geography And Systematics Of 1-19, fig. 3, map 3; subsp. texanum 14; var. texanum 14; var. orientale 14-16; f. orientale 15; f. rubrum 15-16; subsp. drummondii 16
- Zephyranthes citrina 476; puertoricensis 476



